


All-round Visibility

INDOORS or OUT



- Improve your visibility
- Raise your profile
- Enhance your image
- Attract customers



**BTC
DISPLAYS**

MOVEMENT SOLUTIONS FROM BRITISH TURNTABLE

revolving sign mechanisms

A revolving sign mechanism from **British Turntable** can give you the competitive edge.



Ideal for a wide variety of locations, both indoor and out, a revolving sign will attract attention, whether inside a shopping mall, at an exhibition or atop a multi-storey building.



Versatile and cost-effective, British Turntable's revolving mechanisms are precision engineered to ensure optimum performance. They are reliable and durable, giving many years of trouble-free operation.

The great outdoors



Many great companies, both large and small, have recognised the value of movement by revolving their logo or customer message outside, earmarking their location and adding value to the brand.



To meet their requirements we have a wide range of models available, suitably weatherproofed to cope with all but the severest of climate conditions, and capable of carrying large signs. A call to our technical sales team will confirm which is the best mechanism for your project and conditions.



On show

Where better to use a revolving sign than at a major show? Use the venue's height to lift your brand above the competition and make an exhibition of yourself! Or use one at eye-level to attract the visitor to your stand.


Countless British Turntable customers find attention-grabbing movement a stylish and cost-effective way to ensure they're seen.



A selling force

Advertising your product or service with a moving message sells. It's a fact - research by POPAI (Point of Purchase Advertising International) has shown that movement in the retail environment can increase sales by more than 30%.

By spreading the word to a wide range of public areas such as shopping malls, hotel lobbies and airport waiting areas will reinforce the brand, imprinting the name on the reader's mind, creating an impulse to buy.




Specifications

MODEL ST80

Designed for external use (weatherproof)

Torque developed: 80 cm daN
(approx. 70 lb force inches)

Height: 540 mm
Rotating top diameter: 250 mm
Rotation (clockwise): 4 rpm
5 amp slip rings available as optional extra
Electrics: 200/240v ph1
Power consumption 50 watts (not including slip rings)




MODEL ST700

Designed for external use (weatherproof)

Torque developed: 700 cm daN
(approx. 600 lb force inches)

Height: 635 mm
Width: 300 mm
Length: 400 mm
Rotating element normally: 150 mm
(or to suit customer requirements)
Rotation: 3 rpm
Fitted with 2 x 5 amp slip rings as standard
Electrics: 200/240v ph1
Power consumption 100 watts (not including slip rings)




MODEL ST1100

Designed for external use (weatherproof)

Torque developed: 1100 cm daN
(approx. 1000 lb force inches)

Height: 750 mm
Width: 400 mm
Length: 665 mm
Rotating element normally: 150 mm
(or to suit customer requirements)
Rotation: 4 rpm
Fitted with 2 x 5 amp slip rings as standard
Electrics: 200/240v ph1
Power consumption 200 watts (not including slip rings)




MODEL ST3000

Built to customer specification only
This is a heavy duty unit for incorporation within large external signs

Torque developed: 3000 cm daN
(approx. 2500 lb force inches)


Height: 340 mm min
Width: 965 mm min
Length: 1090 mm min
Rotating element to suit customer requirements
Rotation: 0.75 rpm
(or to suit customer requirements)
Slip rings (optional extra)
Electrics: 400/415v ph3
Power consumption 370 watts min (not including slip rings)



MODEL B205S

Turntable
Internal use only (not weatherproof)
Weight:
Optional extras: E1, E6, E8, E9
(see separate sheet)

Maximum distributed load: 90 kg
Maximum load height: 400 mm
3.6 kg Maximum load diameter: 760 mm
Rotation: 2rpm (1rpm option)
Fitted with forward/reverse switch and 5 amp slip rings
Electrics: 200/240v AC 50Hz ph1
Power consumption 10 watts (not including slip rings)



MODEL USD105S

Turntable (ceiling mounted)
Internal use only (not weatherproof)
Weight: 3.6 kg


Maximum distributed load*: 45 kg
Maximum load height: 1200 mm
Rotation: 2rpm (1rpm option)
Fitted with forward/reverse switch and 5 amp slip rings
Electrics: 200/240v AC 50Hz ph1
Power consumption 10 watts (not including slip rings)



MODEL CRMN1.5-5

Mini Carousel
Turntable
Internal use only (not weatherproof)
Height: 170 mm
Base diameter: 450 mm
Weight: 15.5 kg
Blue GRP cover
Optional extras: E1, E2, E3, E7, E8
(see separate sheet)


Maximum distributed load: 227 kg
Maximum load height: 1500 mm
Maximum load diameter: 1500 mm
(adjusts from 450 mm to carry up to 1500 mm diameter deck)
Rotation: 1rpm
Fitted with forward/reverse switch and 5 amp slip rings
Electrics: 220/240v AC 50Hz ph1
Power consumption 10 watts (not including slip rings)



MODEL USD505S

Turntable (ceiling mounted)
Internal use only (not weatherproof)
Height: 355 mm
Base diameter: 210 mm
Weight: 9 kg

Maximum distributed load *: 227 kg
Maximum diameter: 1200 mm
Rotation: 2rpm (1rpm option)
Fitted with forward/reverse switch and 5 amp slip rings
Electrics: 200/240v AC 50Hz ph1
Power consumption 10 watts (not including slip rings)



* For ceiling suspended loads please consult our technical sales department

Specifications are for guidance only; please refer all proposed applications to our technical sales department.
Due to continuous product research and development, specifications are subject to change without notice.